



## BodyBuilder Information <sup>+</sup>

---

### ORDER INFORMATION

#### XF 480 FT 4X2 TRACTOR, LOW DECK

Explanation

#### General information

Chassis number	0G254722
Vehicle Identification Number	XLRTEH4300G254722
Production number	609983
DAF specification code	G0709BAAA
Market	Poland
Order status	Built
Drawing status	Preliminary
Build date (dd/mm/yyyy)	06-02-2019
Cab colour code	K9653-RED

Explanation

---

#### Application packages

12939 No application option

---

#### Option Packages

---

#### Cab exterior

01760 Super Space Cab

01226 Cab suspension air

01174 External sun visor green translucent

06672 No aluminium ladder  
00556 No air horn  
02947 LED head lights  
00205 Head light beam for right-hand traffic  
15103 LED daytime running lights  
09983 Fog lights  
07980 No cab top lights  
06593 Skylights  
00128 No hazard beacon  
01551 Front view mirror  
00080 Central door lock system, 2 keys, 2 RC units

---

### **Aerodynamics**

04408 Fixed roof air deflector  
04906 Side collars  
04140 No side skirts

---

### **Colours**

06150 Solid cab colour  
06485 Head lamp panel and bumper: cab colour  
00733 Lower step cab colour, cab steps and wing Grey  
02320 Air intake, grip and mirror covers black  
06018 Cab colour roof air deflector  
06067 Colour of side collars: cab colour  
03708 C4P500GRY Chassis colour grey

---

### **Cab interior**

01846 Left-hand drive (LHD)  
09270 Soft grip steering wheel, black colour  
07151 Cab interior trim colour Dark Sand  
07670  
08880 Door covering: soft woven fabric  
07733 Driver seat: Luxury Air  
09541 Arm rest driver seat  
07740 Co-driver seat: basic  
02080 No arm rest co-driver seat  
03601 Seat belts black  
06539 Refrigerator  
03402 Preparation for air blow gun  
09602 Lower bunk without drawer  
06783 Lower bunk foam mattress  
01066 Upper bunk  
08771 Protection net upper bunk / luggage carrier  
06340 Curtains, with dividing curtain

06675 No PL light in cab  
06970 Automatic Cab Climate Control  
09948 No park air conditioning  
02279 Auxiliary cab heater with residual heat pump  
13603 Pollen filter  
01974 No roller blind co-driver side  
09794 Roof hatch glass, electric control  
12979 Window openers: electric  
02850 Accessory power supply: standard  
07608 ECAS remote control with extended functions

---

### **Communication and driving management**

15104 Universal FMS connector  
07706 No DAF Connect  
09681 Preparation for Maut  
01789  
02549 Scale speedometer km/h  
06923 Speed limiter setting 85 km/h  
01431 No tachometer calibration  
07708 No navigation preparation  
07117 Radio/USB player, 2 speakers  
07260 No TruckPhone  
07515 No Emergency response system  
08891  
06991 Predictive Cruise Control  
15105 Driver Performance Assistant

---

### **Safety and security**

08630 No air bag  
07010 No DAF Night Lock  
00740 No emergency hammer  
09992 Lane Departure Warning System  
09491 Vehicle Stability Control (VSC)  
09825 No camera system  
01723 No reverse warning  
02975 Basic engine immobiliser  
02890 ADR, class AT

---

### **Suspension and axles**

02472 Front: 8.00 t, parabolic, 163N  
08039 Front axle 1, 8000 kg, tyre load index 156  
03583 Rear: 11.50 t, air suspension, SR1344  
03420 No rear Stabilink  
08078 Rear axle 1, 11500 kg, tyre load index 145

08191 Axle load monitoring  
06128 Single driving height position, standard height  
08805 No lifting device

---

### Wheels and tyres

03010 Front axle(s): 315/60R22.5  
04510 Driven rear axle(s): 295/60R22.5  
00614 No spare tyre  
03088 Michelin  
08101 No tyre pressure monitoring  
06878 Disc wheels steel, silvergrey  
03692 Wheel protection rings silvergrey  
16030  
16027 R1,295/60R22.5MI XLED 150/147 K Traction BBA 3P  
30909 SP, not applicable

---

### Driveline

01737 Engine MX-13, 355 kW/483 hp. Cab Badge: 480  
03600 Exhaust emission Euro 6  
07111 Eco fuel  
01553 Engine idle shutdown, 5 minutes  
07102 Automated gearbox, TraXon, 12 speeds  
01797 12-speed TraXon 12TX2210 DD, 16.69-1.00  
09360 No clutch protection  
02917 Automated gearbox without manual control-Lite vers  
07101 Standard transport, Lite version  
09302 Rear axle ratio 2.05  
13776 Mechanical diff lock  
03721 ASR

---

### Brake system

02366 MX Engine Brake  
06195 Park brake control with test position  
04900 No spring brake cylinder front axle 1  
06127 Driven rear axle with disc brakes  
14158 Brake Performance Monitoring

---

### Chassis

06421 Wheelbase 3.80 m / rear overhang 0.87 m  
00333 Side member 260/7.0 mm, no reinforcement  
01179 Standard component location  
06610 Exhaust pipe horizontal, low  
09420 EAS unit right-hand side Low Deck  
03135 Vert battery box left, no spare wheel carrier

01046 1 circuit steering system  
00952 EU steering certificate  
08640 Air tanks steel  
07295 Aluminium fuel tanks 690+525 l, height 580 mm  
07972 Fuel tanks left and right  
07061 Tank for AdBlue® 90 l, on left-hand mudguard  
06490 Front underrun protection (FUP)  
06606 Catwalk with step, standard  
07050 Catwalk step left-hand side  
06330 Rear mudguards  
06332 Spray suppression  
03623 No wheel chocks  
04649 No rear light brackets  
01470  
03323 Rear light with LEDs

---

### **Drawbar and trailer equipment**

00332 No towing equipment  
01712 JOST JSK42 cast iron 150+12mm  
07430 Mounting plate standard  
03276 King pin diameter 2 inches  
03183 Fifth wheel KA dimension 670 mm  
07780 Length fifth wheel profile: standard  
09472 No lead-up ramps  
06730 No chassis protection beam  
06584 Pneumatic trailer connection palm type  
08617 No independent trailer brake  
00365 Elec tr conn 24V/15 pins, cables: 15 pins + EBS  
09820 No sliding fifth wheel operation  
15106 Trailer connection storage box

---

### **Bodies and preparations for bodying**

07820 No analogue body signals and warnings  
00761 No engine speed control connector  
04920 No ECAS in bump position at PTO ON  
09044 No ECAS freeze at PTO ON  
08425 No aftermarket switches  
09560 No CAN functions in application connector  
06691 Application connector on the cab front  
09200 Chassis preparation standard  
08120 No tail lift application

---

### **Power take-off (PTO)**

01412 No first gearbox PTO, no control

04852 No second gearbox PTO

02336 No front engine PTO

03125 No rear engine PTO

---

### Electrical power supply

00667 Alternator 80 A, batteries 2x 230 Ah

08260 No battery energy monitoring

---

### GVM and GCM

00116 Chassis weight related technical GVM max 19500 kg

03673 Driveline related max GCM 44000 kg class 2

01450 Type plate standard

---

### Application conditions

09003 Application class 0

09985 Standard noise level

00805 Maximum ambient temperature 38 degrees

08219 No coolant filter

07180 No fuel pre-filter

03647 Air intake high

06612 No anti-dust blow-up shield

01010 No oil cooler gearbox

07777 No preparation for engine heating

---

### Service and maintenance

04834 Standard Warranty - 1Y Full - 2nd year DL - 1Y BD

12495 ITS service

08310 Service interval standard

---

### Vehicle delivery

08041 Whole Vehicle Type Approval (WVTA)

02019 Standard toolkit

09880 No extra fuel

08011 No pre-delivery inspection

16149 CO2 indication: Y

---

### Special request (POV)

12380 No special request (POV)

---

### Customer needs

---


Explanation

### Notes:

Automatically generated 2D-drawings and STEP-files are based on the standard vehicle program layout. If a Special Request (POV) that effects the component layout is applicable, please consult the Additional information under Special request (POV) on this page. This is usually available 10-12 weeks prior to the scheduled production date for vehicles of the MY2017CF/XF and NewGen series and 7 weeks for vehicles of the LF series.

**3D-model files (with exception of the chassis frame) have a mild deformation for Intellectual Property reasons.**

Explanation



Reset

Disclaimer



**NOTES:**

- **Special Requests:** deviations on vehicles from our standard product program due to Special requests are not included in the on-line Order Information. If a Special Request is applicable to an order, its content is described in the Vehicle Information-tab. More information about (custom) drawings in can be found [here](#).
- **Bodybuilder Report:** to further support Bodybuilders with calculated chassis specific information (e.g. layout dimensions, chassis height and axle loads) the DAF dealer can generate a chassis-specific BodyBuilder Report. For more information about the Bodybuilder Report [click here](#).
- **Order planning:** for orders supplied ex-works directly to the bodybuilder it is possible to receive a two-weekly planning. More information can be found [here](#).
- **Share Configuration ID:** a 38-character string that enables sharing of a vehicle configuration before a DAF order number is available. A Share Configuration ID can be generated by a customer/bodybuilder in the [DAF Truck Configurator](#) or by the salesman in the DAF Sales program.
- **Release remarks** in regards to DAF Order Information can be found [here](#).